Dependence of quality of thallium-201 on irradiation data

I. Sattari^{1*}, G. Aslani¹, M.K. Dehghan¹, B. Shirazi¹, M. Shafie¹, II. N. Shadanpour¹, P.V. Winkel^{1,2}

¹ Cyclotron Department, Nuclear Research Center for Agriculture & Medicine, Karaj, Iran ² Vrije Universiteit Brussels, Cyclotron Department, Laarbeeklaan 103 1090, Brussels, Belgium

ABSTRACT

Backgrounds: Thallium-201 is produced through ${}^{203}Tl(p, 3n) {}^{201}pb {}^{201}Tl$ reaction by cyclotron. This radioisotope has known as one of the cyclotron radioisotopes which is used for myocardial perfusion in the coronary artery disease, Tl-201 after chemical purification and quality control in the form of ${}^{201}Tl$ -chlorid is ready to send to the hospitals.

Materials and methods: In this work the effect of the proton energy on quality of Tl-201, was studied. Radionucleidic purity was determined by high purity Ge (HPGe) detector Gamma spectrometer, in production time and after one half-life (73h). The targets were coated with Enriched Thallium-203 (97%).

Results: The Variation of thickness of targets was $18.3\pm1.3\mu$ m. The different energies of bombardment on quality of Tl-201 and Tl-200, Tl-202, and Pb-203 (as impurity) were studied. The results have shown that optimum energy for proton was 28.5 MeV.

Conclusion: The variation energy of bombardment can change the purity of TI-201 but all results were in the standard range according to the United States Pharmacopoeia (USP) and European Pharmacopoeia. *Iran. J. Radiat. Res.; 2003; 1(1): 51 - 54.*

Keywords: Quality control of thallium chloride, quality of ²⁰¹Tl, radionuclide purity, thallium 201.

INTRODUCTION

hallium-201, has known as one of the cyclotron radioisotopes which is used for myocardial perfusion in the coronary artery disease, this radioisotope is obtained by proton irradiation of an enriched Thallium-203 target in cyclotron involving with the threshold reaction; ²⁰³Tl (p 3n) ²⁰¹pb. This reaction is followed by the decay of the parent nuclide ²⁰¹pb (half-life 9.4h) into the Tl-201 by electron capture. Naturally occurring thallium-203 (natural abundance 29.5%) and thallium-205 (natural abundance70.5%) the initial raw material for

cyclotron targets is the enriched stable -thallium-203 (Lewis and Dewitt 1994, Kurenkov 1995, US Pharmacope 1995).

The overall production of this isotope will include preparation of the target, bombardment by a 26-30-cyclotron proton beam and chemistry of production.

Radiochemical procedure for Tl-201 implies three steps:

1- First one, the formed ²⁰¹pb is separated from the enriched Tl-203 after isolation of the irradiated target.

2- after a suitable decay time (32 hours) more than 90% of the ²⁰¹pb decay into Tl-201. The second step is separation of non-carrier added ²⁰¹Tl from remaining ²⁰¹pb.

3- after purification, the final solution is used as a pharmaceutical production of the sterile,

^{*} Corresponding author:

Dr. A. Sattari, Cyclotron Dept. Nuclear Research Center for Agriculture & Medicine, Karaj, Iran. Fax:+98-261-411106. E-mail: <u>asattari@seai.neda.net.ir</u>

radioactive injectable thallous chloride (Kuzlova 1987, Winkel 1995).

Specification of thallous chloride (²⁰¹Tl) is summarized in table 1.

Table 1. Specification of ²⁰¹Tl

Half-life	73.1 hours	
Energy of Gamma	0.135, 0.166, 0.167	
	MeV	
X-rays	0.068 to 0.082	
	MeV	
Radionuclid Impurity	Tl-202<1.9%	
	T1-200<1.0%	
	Pb-203<0.25%	
Specific Activity	>3,7GBq. μg	
	(100mCi/µg)	
Chemical form	Sterile, Isotonic	
	solution	
Energy of	29.20MaV	
bombardment	28-301vie v	
Average Beam	180-200µA per	
Current	target	

MATERIALS AND METHODS

Target preparation: Enriched thallium-203 (99.7%) was coated by electro-deposition on a copper -baking target. Copper was chosen as the substrate due to its suitable heat condition; in this process the targets are plated from alkaline EDTA solution containing an anodic depolarizer (hydrazine hydrate) and a Wetting agent applying a bipolar chopped saw tooth plating voltage. Four targets are plated simultaneously with a current yield better than 98% in less than 5 hours. The thickness of targets was 18.3 ± 1.3 µm.

Target Irradiation: The copper-plated Thallium targets situated on special shuttle were sent through the cyclotron solid target room by rabbit system. The shuttle geometry was designed such that the targets could see the beam at the angle of 6° . Then the targets were bombarded with the intensity of 200µA protons current integrator, which was connected, and measured the beam current to faraday cap. Afterwards, the target cooling system was shut off and target was

guided through to the hot cell by rabbit system. To setup a series irradiation of identical enriched ²⁰¹Tl-target bombardment during irradiation time 8 ± 0.4 hours for the energy on increasing ²⁰¹Pb yield were absorbed. The energy of the proton beam was reduced during passage through the target and elastic collisions, atomic excitation and ionization lost energy. Indicating peak energies for the reactions (p, n), (p, 2n) and (p, 3n) etc. In addition, similar production cross sections existed for protons bombarding thallium-205 indicating that even a trace impurity level of thallium-205 within the target material thallium-203 would lead to bombarding thallium-205 indicating that even a trace impurity level of thallium-205 within the target material thallium-203 would lead to radionuclide impurity species in the final product. The competition reactions are given in table 2. And elastic collisions, atomic excitation and ionization lose energy. Indicating peak energies for the reactions (p, n), (p, 2n), and (p, 3n) etc. In addition, similar production cross sections existed for protons bombarding thallium-205 indicating that even a trace impurity level of thallium-205 within the target material thallium-203 would lead to radionuclide impurity species in the final product. The competition reactions are given in table 2.

Table 2. Competing Reactions Thallium bombardment

Reaction	Initial material	Radioactive products	Half life
(p, 4n)	T1-203	Pb-200	21.58 h
		\downarrow	
		Tl-200	26.1 h
(p, 3n)	T1-203	Pb-201	9.4 h
		\downarrow	
(p, 5n)	T1-205	T1201	73.1 h
(p, 2n)	T1-203	Pb-202m	3.62 h
1 , ,		\downarrow	
(p, 4n)	T1-205	T1-202	12.32 d
(p, n)	T1-203	Pb-203	51.9 h
-		\downarrow	
(p, 3n)	T1-205	T1-203	Stable
(p, 2n)	T1-205	Pb-204m	1.1 h
·• /		\downarrow	
		Pb-204	$>1.4 \times 10^{17} y$
(p, n)	T1-205	Pb-205	$1.5 \times 10^7 \text{ y}$

Iran. J. Radiat. Res.; Vol. 1, No. 1, June 2003

RESULTS

Maximum ²⁰⁰Pb/²⁰¹Pb activity ratio at the end of chemistry-1If A (²⁰⁰Pb) and A (²⁰¹Pb) represent the lead activities of the bulk at EOC-1, and A (²⁰⁰Tl) and A (²⁰¹Tl) represents the thallium activities at calibration time, the maximum A (²⁰⁰pb)/A (²⁰¹Pb) lead ratio can be calculated from equation (1):

$$\frac{A(^{200}Tl)}{A(^{201}Tl)} = \frac{2}{95} = \frac{A(^{200}Pb)}{A(^{201}Pb)} \times \frac{G(^{200}Tl)}{G(^{201}Tl)} \times \frac{D(^{200}Tl)}{D(^{201}Tl)}$$
(1)

Where: G (²⁰⁰Tl) and G (²⁰¹Tl) are the growing factors of ²⁰⁰Tl and ²⁰¹Tl for a decay time of 32hrs.ie.Chemistry -2 is performed 32hours after EOC-1, the time for maximum ²⁰¹Tl yield. These factors can be easily calculated by means of MDEQ.BAS code. It follows that, G (²⁰⁰Tl) =0.332 and G (²⁰¹Tl) =0.095 D (²⁰⁰Tl) and D (²⁰¹Tl) are the decay factors of associated with the pre calibration time (72hrs). From the half-life it readily follows that, D (²⁰¹Tl) =0.148 and D (²⁰¹Tl) =0.505.

By substituting these numerical values into equation (Dewitt 1994) one obtains:

$$R = \frac{A(^{200}Pb)}{A(^{201}Pb)} = 0.02$$
(2)

The maximum 200 pb decay at EOC-1 must be less than or equal to2% of the 201 pb activity. The curve for the 203 Tl (p, 3n) 201 pb reactions shows a maximum at 29 MeV.

While the threshold energy of the 203 Tl(p, 4n) 200 pb reaction is located at about 28.0 MeV. This suggests that, to meet the USP xxII requirements R \leq 2; equation (Dewitt 1994) the energy of the impinging protons may be more than 28 MeV resulting in an increase of the 201 pb yield (US Pharmacope 1995).

The excitations cross-section for proton bombardment of enriched thallium-203 with cyclotron (cyclone-30 IBA) in NRCAM is given in figure 1. From this graph it is possible to determine the maximum bombardment energy for the proton beam by ²⁰⁰Pb as a radionuclide impurity that is created via the reaction (p, 4n), consequently the maximum proton energy should be fixed at 28.5 MeV. The minimum bombardment energy or exit energy of the proton beam is similarly constrained buy the impurity Pb-200m created by the reaction (p, 2n). Regarding the minimum energy at the exit of the enriched TI-201 material similarly fixed at 22.5 MeV.



Figure 1. Cross section for the 203 TI (p, 2n) 202pb, 203T(p, 3n) 201 pb and 203TI(p, 4n, 200 pb reaction

Influence of the proton energy on ²⁰¹pb yield:

From the excitation graph, the energy loss of protons per μ m Tl, an effective thickness of the Tl-layer (thickness in beam direction =773 μ m), can be calculated easily. The input and output energies of the protons and the ²⁰¹Pb yield that is proportional to the surface area under the excitation curve between input and output energy of the particles (SRIM 2001). This area can be fairly estimated by planimetry. Some results are summarized in Table 3.

Table 3. Influence of proton energy on the ²⁰¹Pb yield

Proton I (Me	Energy V)	Surface area (mm)	²⁰¹ pb yield (Arbitrary unit)
Ein	Eout		
28,0	20,0	0,6781	1
28.5	21.0	0.6319	1,08
29.0	21,5	0,6407	1,13
29.5	22	0.6508	1,18
30,0	22,5	0,665	1,22

Bombardment is done during the same irradiation time (standard 10 hours), for which

the energy set differs by for example 0.5 MeV (28.0, 28.5, 29.0, 29.5 and 30.0). By setting up a series of irradiation of identical thallium targets (enriched or natural), in products, the highest energy still meeting the USP requirement ($R \le 2$) is selected.

Radionuclidic quality control: Calibrated HPGe spectrometry revealed the following radionuclidic composition of the ²⁰¹Tl batch:

 $\begin{array}{l} ^{201}Tl \leq 99.5\% \\ ^{200}Tl \leq 0.1\% \\ ^{202}Tl \leq 0.3\% \\ ^{201}pb \leq 0.003\% \\ ^{203}pb \leq 0.05\% \end{array}$

DISCUSSION

The maximum bombardment energy for the proton beam- in this case it was determined by the impurity radionuclide Pb-200 created via the reaction (p, 4n), resulting in a doughtier product TI-200 that has a half-life of 26 hours and a high-energy gamma ray. This would increase the patient dose considerably if the percentage impurity was allowed to be greater than 1%. fixes the Consequently this maximum bombardment energy for thallium production at 28.5 MeV. The minimum bombardment energy or exit of the proton beam is similarly constrained by the impurity radionuclide Pb-202 resulting ²⁰²Tl has a half-life of 12 days and a gamma emission of 1.0 MeV. The minimum energy at the exit of the enriched TI-203 material is similar fixed at 24 MeV.

REFERENCES

- Dewitt L.M. (1994). "Designing a radioisotope facility" Amersham. U.K. 343-362, CERN Accelerator School, Cyclotron, Linacs and other applications, I.B.M International education center, La Hulpe, Belgium 28 April-May 1994.
- Hermanne A. (1992). "Proceedings of International Conference of nuclear data for science and technology 1991", *Editorial.*, *Springier Verlag*, *616-619*.
- Kurenkov N.V. (1995). "Excitation function for the formation of the neutron deficient nuclei ²⁰¹Tl, ²⁰¹Pb and ²⁰¹Bi" calculated and experimental data; *Appl. Radiat. Isot.*, **46**: 29-37.
- Kuzlova M.D. (1987). "New method of Tl-201 production from thallium-203 targets" *Appl. Radiat. Isot.*, **31:** 1090-1091.
- SRIM (2001) (Code of Srim).
- United states pharmacope (1995). "Thallium-201, Thallus Chloride".
- Vera Ruiz H. (1990). Report of international atomic energy adviser group meeting on "Quality control of cyclotron produced radiopharmaceutical" *Nucl. Med. Biol.*, 17: 445-446.
- Winkel P.V. (1995). End of Mission Report, IAEA MISSION, Project IRA/4/019/07, July 9-24.